

10/572,794

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssspal202txm

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

\* \* \* \* \* Welcome to STN International \* \* \* \* \*

NEWS 1 Web Page for STN Seminar Schedule - N. America  
NEWS 2 AUG 10 Time limit for inactive STN sessions doubles to 40  
minutes  
NEWS 3 AUG 18 COMPENDEX indexing changed for the Corporate Source  
(CS) field  
NEWS 4 AUG 24 ENCOMPLIT/ENCOMPLIT2 reloaded and enhanced  
NEWS 5 AUG 24 CA/Caplus enhanced with legal status information for  
U.S. patents  
NEWS 6 SEP 09 50 Millionth Unique Chemical Substance Recorded in  
CAS REGISTRY  
NEWS 7 SEP 11 WPIDS, WPINDEX, and WPIX now include Japanese FTERM  
thesaurus  
NEWS 8 OCT 21 Derwent World Patents Index Coverage of Indian and  
Taiwanese Content Expanded  
NEWS 9 OCT 21 Derwent World Patents Index enhanced with human  
translated claims for Chinese Applications and  
Utility Models  
NEWS 10 NOV 23 Addition of SCAN format to selected STN databases  
NEWS 11 NOV 23 Annual Reload of IFI Databases  
NEWS 12 DEC 01 FRFULL Content and Search Enhancements  
NEWS 13 DEC 01 DGENE, USGENE, and PCTGEN: new percent identity  
feature for sorting BLAST answer sets  
NEWS 14 DEC 02 Derwent World Patent Index: Japanese FI-TERM  
thesaurus added  
NEWS 15 DEC 02 PCTGEN enhanced with patent family and legal status  
display data from INPADOCDB  
NEWS 16 DEC 02 USGENE: Enhanced coverage of bibliographic and  
sequence information

NEWS EXPRESS MAY 26 09 CURRENT WINDOWS VERSION IS V8.4,  
AND CURRENT DISCOVER FILE IS DATED 06 APRIL 2009.

NEWS HOURS STN Operating Hours Plus Help Desk Availability  
NEWS LOGIN Welcome Banner and News Items

Enter NEWS followed by the item number or name to see news on that  
specific topic.

All use of STN is subject to the provisions of the STN customer  
agreement. This agreement limits use to scientific research. Use  
for software development or design, implementation of commercial  
gateways, or use of CAS and STN data in the building of commercial  
products is prohibited and may result in loss of user privileges  
and other penalties.

10/572,794

\*\*\*\*\* STN Columbus \*\*\*\*\*

FILE 'HOME' ENTERED AT 10:49:13 ON 10 DEC 2009

=> file reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.22

0.22

FILE 'REGISTRY' ENTERED AT 10:49:23 ON 10 DEC 2009

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2009 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file  
provided by InfoChem.

STRUCTURE FILE UPDATES: 9 DEC 2009 HIGHEST RN 1196786-45-4

DICTIONARY FILE UPDATES: 9 DEC 2009 HIGHEST RN 1196786-45-4

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 26, 2009.



Please note that search-term pricing does apply when  
conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and  
predicted properties as well as tags indicating availability of  
experimental property data in the original document. For information  
on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10572794.str



chain nodes :

11 18 19 20 24 25 26 27 30 31 32 33 34 37 38 39 40 41 44 45 46  
47 48 51 52 53 54 55 58 59 60 61 62 79

10/572,794

```
ring nodes :  
1 2 3 4 5 6 7 8 9 10 12 13 14 15 16 17  
chain bonds :  
7-11 11-12 18-19 19-20 20-79 24-25 24-26 26-27 30-31 30-32 30-33 33-34  
37-38 37-41 38-39 39-40 44-45 45-46 45-48 46-47 51-52 51-54 52-53 53-55  
58-59 59-60 59-62 60-61  
ring bonds :  
1-2 1-6 2-3 2-7 3-4 3-10 4-5 5-6 7-8 8-9 9-10 12-13 12-17 13-14 14-15  
15-16 16-17  
exact/norm bonds :  
7-11 11-12 18-19 19-20 20-79 24-25 26-27 30-31 30-32 30-33 33-34 37-38  
37-41 38-39 39-40 44-45 45-48 46-47 51-52 51-54 52-53 53-55 58-59 59-62  
60-61  
exact bonds :  
24-26 45-46 59-60  
normalized bonds :  
1-2 1-6 2-3 2-7 3-4 3-10 4-5 5-6 7-8 8-9 9-10 12-13 12-17 13-14 14-15  
15-16 16-17  
isolated ring systems :  
containing 1 : 12 :
```

G1:[\*1],[\*2],[\*3],[\*4],[\*5],[\*6]

```
Hydrogen count :  
9:= exact 1  
Match level :  
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom  
11:CLASS 12:Atom 13:Atom 14:Atom 15:Atom 16:Atom 17:Atom 18:CLASS 19:CLASS  
20:Atom 23:Atom 24:CLASS 25:Atom 26:CLASS 27:CLASS 30:CLASS 31:CLASS  
32:CLASS 33:CLASS 34:Atom 37:CLASS 38:CLASS 39:CLASS 40:Atom 41:CLASS  
44:CLASS 45:CLASS 46:CLASS 47:Atom 48:CLASS 51:CLASS 52:CLASS 53:CLASS  
54:CLASS 55:Atom 58:CLASS 59:CLASS 60:CLASS 61:Atom 62:CLASS 79:CLASS  
Generic attributes :  
20:  
Saturation : Saturated  
Number of Carbon Atoms : less than 7  
Number of Hetero Atoms : Exactly 1  
Type of Ring System : Monocyclic  
25:  
Number of Carbon Atoms : less than 7  
Number of Hetero Atoms : 2 or more  
Type of Ring System : Monocyclic  
34:  
Number of Carbon Atoms : less than 7  
Number of Hetero Atoms : 2 or more  
Type of Ring System : Monocyclic  
40:  
Number of Carbon Atoms : less than 7  
Number of Hetero Atoms : 2 or more  
Type of Ring System : Monocyclic  
47:  
Number of Carbon Atoms : less than 7  
Number of Hetero Atoms : 2 or more  
Type of Ring System : Monocyclic  
55:  
Number of Carbon Atoms : less than 7  
Number of Hetero Atoms : 2 or more  
Type of Ring System : Monocyclic  
61:
```

10/572,794

Number of Carbon Atoms : less than 7  
Number of Hetero Atoms : 2 or more  
Type of Ring System : Monocyclic

Element Count :  
Node 20: Limited  
C,C5  
N,N1

Node 25: Limited  
C,C3  
O,O1  
N,N1

Node 34: Limited  
C,C3  
O,O1  
N,N1

Node 40: Limited  
C,C3  
O,O1  
N,N1

Node 47: Limited  
C,C3  
O,O1  
N,N1

Node 55: Limited  
C,C3  
O,O1  
N,N1


Node 61: Limited  
C,C3  
O,O1  
N,N1

L1        STRUCTURE UPLOADED

=> d L1

L1 HAS NO ANSWERS

L1                STR



G1 [ @1 ], [ @2 ], [ @3 ], [ @4 ], [ @5 ], [ @6 ]

Structure attributes must be viewed using STN Express query preparation.

```
=> s L1 full
FULL SEARCH INITIATED 10:49:54 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED -      38995 TO ITERATE
```

```
100.0% PROCESSED      38995 ITERATIONS                12 ANSWERS
SEARCH TIME: 00.00.02
```

L2 12 SEA SSS FUL L1

=> file caplus		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	185.88	186.10

FILE 'CAPLUS' ENTERED AT 10:50:02 ON 10 DEC 2009  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 10 Dec 2009 VOL 151 ISS 24  
 FILE LAST UPDATED: 9 Dec 2009 (20091209/ED)  
 REVISED CLASS FIELDS (/NCL) LAST RELOADED: Oct 2009  
 USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Aug 2009

CAPLUS now includes complete International Patent Classification (IPC)  
 reclassification data for the third quarter of 2009.

CAS Information Use Policies apply and are available at:

<http://www.cas.org/legal/infopolicy.html>

This file contains CAS Registry Numbers for easy and accurate  
 substance identification.

=> s l2

L3 1 L2

=> d l3 l- ibib abs hitstr

YOU HAVE REQUESTED DATA FROM 1 ANSWERS - CONTINUE? Y/(N):y

L3 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2009 ACS on STN

ACCESSION NUMBER: 2005:300441 CAPLUS

DOCUMENT NUMBER: 142:355279

TITLE: A preparation of quinazoline derivatives, useful for  
 prevention or treatment of tumors sensitive to  
 inhibition of ErbB receptor tyrosine kinases  
 INVENTOR(S): Barlaam, Bernard Christophe; Halsall, Christopher  
 Thomas; Hennequin, Laurent Francois Andre

PATENT ASSIGNEE(S): Astrazeneca AB, Swed.; Astrazeneca UK Ltd.

SOURCE: PCT Int. Appl., 139 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005030765	A1	20050407	WO 2004-GB4137	20040922
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2004276067	A1	20050407	AU 2004-276067	20040922
CA 2540019	A1	20050407	CA 2004-2540019	20040922
EP 1668006	A1	20060614	EP 2004-768680	20040922
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK, HR				
BR 2004014772	A	20061121	BR 2004-14772	20040922
CN 1882580	A	20061220	CN 2004-80034531	20040922
JP 2007506725	T	20070322	JP 2006-527495	20040922

US 20060287295	A1	20061221	US 2006-572794	20060321
MX 2006003422	A	20060620	MX 2006-3422	20060324
ZA 2006002434	A	20070725	ZA 2006-2434	20060324
ZA 2006002444	A	20070926	ZA 2006-2444	20060324
NO 2006001746	A	20060420	NO 2006-1746	20060420
KR 2006095767	A	20060901	KR 2006-707934	20060424
PRIORITY APPLN. INFO.:			GB 2003-22409	A 20030925
			WO 2004-GB4113/	W 20040922

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT  
 OTHER SOURCE(S): CASREACT 142:355279; MARPAT 142:355279  
 GI

\* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT \*

AB The invention relates to a preparation of quinazoline derivs. of formula I [wherein: one of R1 or R4 is (un)substituted (cyclo)alkoxy group; R2 is H or alkyl; R3 is Ph with 1 to 5 same or different substituents], useful for prevention or treatment of tumors sensitive to inhibition of ErbB receptor tyrosine kinases (antiproliferative agents). For instance, quinazoline derivative II (inhibition of tyrosine kinase protein phosphorylation: IC50 = 14 nM; EGFR driven KB cell proliferation: IC50 = 16 nM) was prepared via amidation of 2-pyridinecarboxylic acid by piperidine derivative III with a yield of 30%.


IT 849147-09-7P 849147-11-1P 849147-12-2P  
 849147-13-3P 849147-14-4P 849147-15-5P  
 849147-16-6P 849147-42-8P 849147-43-9P  
 849147-96-2P 849148-12-5P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of quinazoline derivs. useful as antiproliferative agents)


RN 849147-09-7 CAPLUS

CN Methanone, [4-[[4-[(3-chloro-2-fluorophenyl)amino]-7-methoxy-6-quinazolinyl]oxy]-1-piperidinyl]-5-isoxazolyl- (CA INDEX NAME)




RN 849147-11-1 CAPLUS


CN Methanone, [4-[[4-[(3-chloro-2-fluorophenyl)amino]-7-methoxy-6-quinazolinyl]oxy]-1-piperidinyl](3-methyl-5-isoxazolyl)- (CA INDEX NAME)



RN 849147-12-2 CAPLUS  
 CN Methanone, [4-[[4-[(3-chloro-2-fluorophenyl)amino]-7-methoxy-6-quinazolinyl]oxy]-1-piperidinyl](5-methyl-3-isoxazolyl)- (CA INDEX NAME)




RN 849147-13-3 CAPLUS  
 CN Methanone, [4-[[4-[(3-chloro-2-fluorophenyl)amino]-7-methoxy-6-quinazolinyl]oxy]-1-piperidinyl](5-methyl-4-isoxazolyl)- (CA INDEX NAME)




RN 849147-14-4 CAPLUS  
 CN Methanone, [4-[[4-[(3-chloro-2-fluorophenyl)amino]-7-methoxy-6-quinazolinyl]oxy]-1-piperidinyl](3-methyl-4-isoxazolyl)- (CA INDEX NAME)







RN 849147-15-5 CAPLUS  
 CN Methanone, [4-[[4-[(3-chloro-2-fluorophenyl)amino]-7-methoxy-6-quinazolinyl]oxy]-1-piperidinyl] (3,5-dimethyl-4-isoxazolyl)- (CA INDEX NAME)



RN 849147-16-6 CAPLUS  
 CN Ethanone, 1-[4-[[4-[(3-chloro-2-fluorophenyl)amino]-7-methoxy-6-quinazolinyl]oxy]-1-piperidinyl]-2-(3-methyl-5-isoxazolyl)- (CA INDEX NAME)




RN 849147-42-8 CAPLUS  
 CN Methanone, [4-[[4-[(3-chloro-2-fluorophenyl)amino]-6-methoxy-7-quinazolinyl]oxy]-1-piperidinyl]-5-isoxazolyl- (CA INDEX NAME)



RN 849147-43-9 CAPLUS


CN Ethanone, 1-[4-[[4-[(3-chloro-2-fluorophenyl)amino]-6-methoxy-7-quinazolinyl]oxy]-1-piperidinyl]-2-(3-methyl-5-isoxazolyl)- (CA INDEX NAME)



RN 849147-96-2 CAPLUS


CN Ethanone, 1-[(3R)-3-[[4-[(3-chloro-2-fluorophenyl)amino]-7-methoxy-6-quinazolinyl]oxy]-1-piperidinyl]-2-(3-methyl-5-isoxazolyl)- (CA INDEX NAME)

Absolute stereochemistry.



RN 849148-12-5 CAPLUS

CN 1-Piperidinecarboxamide, 4-[[4-[(3-chloro-2-fluorophenyl)amino]-7-methoxy-6-quinazolinyl]oxy]-N-(3,5-dimethyl-4-isoxazolyl)- (CA INDEX NAME)



OS.CITING REF COUNT: 1 THERE ARE 1 CAPLUS RECORDS THAT CITE THIS RECORD  
(1 CITINGS)  
REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS  
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> d his

(FILE 'HOME' ENTERED AT 10:49:13 ON 10 DEC 2009)

FILE 'REGISTRY' ENTERED AT 10:49:23 ON 10 DEC 2009

L1 STRUCTURE UPLOADED

L2 12 S L1 FULL

FILE 'CAPLUS' ENTERED AT 10:50:02 ON 10 DEC 2009

L3 1 S L2

=> log y

COST IN U.S. DOLLARS

SINCE FILE TOTAL

ENTRY SESSION

FULL ESTIMATED COST

XXXXXXXXXXXXXXXXXX

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE TOTAL

ENTRY SESSION

CA SUBSCRIBER PRICE

-0.82

-0.82

STN INTERNATIONAL LOGOFF AT 10:50:25 ON 10 DEC 2009